



Bontrager tire pressures

Road

Model	Name	Size	Pressure Range (psi/bar)
2013	AW1 Hard-Case	700x23	90-125/6.2-8.6
2013	AW1 Hard-Case	700x25	90-125/6.2-8.6
2013	AW1 Hard-Case	700x28	80-115/5.5-7.9
2013	AW1 Hard-Case	700x32	55-100/3.8-6.9
2013	AW2 Hard-Case Lite	700x23	90-125/6.2-8.6
2013	AW2 Hard-Case Lite	700x25	90-125/6.2-8.6
2013	AW2 Hard-Case Lite	700x28	80-115/5.5-7.9
2013	AW3 Hard-Case	700x23	90-125/6.2-8.6
2013	AW3 Hard-Case	700x25	90-125/6.2-8.6
2013	CX0	700x34	60-80/4.1-5.5
2013	CX0	700x38	60-80/4.1-5.5
2013	CX3	700x32	45-70/3.1-4.8
2013	R1	700x23	90-125/6.2-8.6
2013	R1	700x25	90-125/6.2-8.6
2013	R1	700x28	90-125/6.2-8.6
2013	R1	700x32	80-110/5.5-7.5
2013	R2	700x23	90-125/6.2-8.6
2013	R2	700x25	90-125/6.2-8.6
2013	R2 TLR	700x23	90-125/6.2-8.6
2013	R2 TLR	700x25	90-125/6.2-8.6
2013	R3	650x23	90-125/6.2-8.6
2013	R3	700x23	90-125/6.2-8.6
2013	R3	700x25	90-125/6.2-8.6
2013	R3 TLR	700x23	90-125/6.2-8.6
2013	R3 TLR	700x25	90-125/6.2-8.6
2013	R4 Aero	700x22	90-125/6.2-8.6
2013	R4	700x23	90-125/6.2-8.6
2013	R4	700x25	90-125/6.2-8.6

continued

2013	T1	26x1-3/8	40-85/2.8-5.9
2013	T1	27x1-1/4	70-100/4.8-6.8
2013	T1	27x1-1/8	70-100/4.8-6.8
2013	T1	700x23	80-115/5.5-7.9
2013	T1	700x25	80-115/5.5-7.9
2013	T2	27x1-1/4	70-100/4.8-6.8
2013	T2	700x23	80-115/5.5-7.9
2013	T2	700x25	80-115/5.5-7.9
2013	T2	700x28	80-115/5.5-7.9
2013	T2	700x32	55-85/3.8-5.9
2013	RL Tubular	700x22	100-115/6.8-7.9
2013	RXXXL Tubular	700x23	115-200/7.9-13.8
2010	Race All Weather Hard-Case	26x1.50	40-85/2.8-5.9
2010	Race All Weather Hard-Case	700x23	100-120/6.9-8.9
2010	Race All Weather Hard-Case	700x25	100-120/6.8-8.3
2010	Race All Weather Hard-Case	700x28	100-120/6.8-8.3
2010	Race All Weather Hard-Case	700x32	55-85/3.8-5.9
2010	Race All Weather Plus	26x1 3/8	40-85/2.8-5.9
2010	Race All Weather Plus	27x1 1/4	70-100/4.8-6.8
2007	Race Lite	650x25	100-120/6.8-8.3
2010	Race Lite All Weather Plus	700x23	100-120/6.9-8.9
2010	Race Lite All Weather Plus	700x25	100-120/6.8-8.3
2010	Race Lite All Weather Plus	700x28	100-120/6.8-8.3
2013	Race Lite Hard-Case	700x32	90-110/6.2-7.5
2010	Race X Lite All Weather Hard-Case	700x23	100-120/6.9-8.9
2010	Race X Lite All Weather Hard-Case	700x25	100-120/6.8-8.3
2013	Race X Lite Plus	700x23	80-115/5.5-7.9
2013	RXXXL 700x22c	700x22	115-145/7.9-10.0



Bontrager tire pressures

Mountain

Name	Size	Pressure Range (psi/bar)
XR0	26x1.90	35-65/2.4-4.5
XR0	26x2.10	35-65/2.4-4.5
XR1 Kids	20x1.85	30-50/2.1-3.4
XR1 Kids	24x1.85	30-50/2.1-3.4
XR1	26x2.00	30-50/2.1-3.4
XR1	26x2.20	30-50/2.1-3.4
XR1	29x2.00	30-50/2.1-3.4
XR1	29x2.20	30-50/2.1-3.4
XR2	26x2.20	30-50/2.1-3.4
XR2	26x2.35	30-50/2.1-3.4
XR2	29x2.20	30-50/2.1-3.4
XR2	29x2.35	30-50/2.1-3.4
XR3	26x2.20	30-50/2.1-3.4
XR3	26x2.35	30-50/2.1-3.4
XR3	27.5x2.20 (650B)	30-50/2.1-3.4
XR3	27.5x2.35 (650B)	30-50/2.1-3.4
XR3	29x2.20	30-50/2.1-3.4
XR4	26x2.20	30-50/2.1-3.4
XR4	26x2.35	30-50/2.1-3.4
XR4	27.5x2.35 (650B)	30-50/2.1-3.4
XR4	29x2.30	30-50/2.1-3.4
XR-Mud	26x1.80	30-50/2.1-3.4
XR-Mud	26x2.00	30-50/2.1-3.4
XR-Mud	29x2.00	30-50/2.1-3.4

continued

Connection Trail	26x2.00	40-65/2.8-4.5
Connection Trail	29x2.00	30-50/2.1-3.4
SE4	26x2.20	30-50/2.1-3.4
SE4	26x2.35	30-50/2.1-3.4
SE4	29x2.30	30-50/2.1-3.4
G Zero	26x2.20	30-50/2.1-3.4
G Zero	26x2.40	30-50/2.1-3.4
G1	26x2.25	30-80/2.1-5.5
G2	26x2.20	30-50/2.1-3.4
G4	26x2.35	30-50/2.1-3.4
G5	26x2.35	30-50/2.1-3.4
G5	26x2.50	30-50/2.1-3.4
G-Mud	26x2.20	30-50/2.1-3.4



Bontrager tire pressures

Pavement

Name	Size	Pressure Range (psi/bar)
Connection	700x35c	40-65/2.8-4.5
Dialed	12x1.75	30-45/2.1-3.1
Dialed	16x1.75	30-45/2.1-3.1
Dialed	20x1.80	30-45/2.1-3.1
H2	24x1.50	60-80/4.1-5.5
H2	26x1.50	60-90/4.1-6.2
H2	26x1.75	45-75/3.1-5.2
H2	26x2.00	35-65/2.4-4.5
H2	700x28c	85-115/5.5-7.9
H2	700x32c	65-100/4.5-6.9
H2	700x35c	60-95/4.1-6.6
H2	700x38c	60-90/4.1-6.2
H2	700x40c	55-85/3.8-5.9
H2	700x42c	50-80/3.4-5.5
H5	26x1.50	60-80/4.1-5.5
H5	26x1.75	60-80/4.1-5.5
H5	26x2.00	60-80/4.1-5.5
H5	700x32c	60-80/4.1-5.5
H5	700x35c	60-80/4.1-5.5
H5	700x38c	60-80/4.1-5.5
H5	700x42c	60-80/4.1-5.5
H5	700x45c	60-80/4.1-5.5

continued

Hank	26x2.20	35-75/2.4-5.2
LT1	26x1.50	60-80/4.1-5.5
LT1	26x1.75	60-80/4.1-5.5
LT1	26x2.00	60-80/4.1-5.5
LT1	700x35c	60-80/4.1-5.5
LT1	700x38c	60-80/4.1-5.5
LT1	700x42c	60-80/4.1-5.5
LT2	700x35c	60-80/4.1-5.5
LT2	700x38c	60-80/4.1-5.5
LT3	26x1.60	40-65/2.8-4.5
LT3	26x2.00	30-60/2.1-4.1
LT3	700x38c	60-80/4.1-5.5
Solana	26x2.125	30-50/2-3.5
Solana	26x2.35	30-50/2-3.5
SR1	26x1.25	65-100/4.5-6.9
SR1	26x1.50	40-80/2.8-5.5