



Electra

READY.

SET.

Wait, read this quickly.

GO!



Here are some tips to help you enjoy your new ride.

Check, check. 1-2, 1-2.

Before you get on your bike, give it the once-over and make sure your tyres are properly inflated and the front wheel is secure. Nothing ruins an awesome wheelie like losing a wheel. If you're not sure how the wheel attaches, the details are inside.

We like that brain of yours. Protect it.

We know, helmet hair, right? But you know what looks lamer? Concussion hair. Besides, we've got a sweet range of helmets to match your bike.

Avoid things that can get stuck in your front wheel.

A shopping bag in your hand, a handbag, rogue sticks. If something gets jammed in there and the front wheel stops suddenly, you're going to have a bad time.

Use bike lights on every ride, day and night.

Use them all the time. It's just like driving these days. People smarter than us have done studies showing lights are the single best way to stand out to motorists, even when the sun is shining.

Something sounds or feels weird? Get it checked out.

Just like planes, bikes are easier to fix before you take off. Electra retailers are there to help.

Like a mudguard after rain, we've got your back.

If you ever have a problem your local Electra shop can't solve, reach out to: customer care@electrabike.com or write to Electra President Kevin Cox directly at kc@electrabike.com.

Read the rest of this manual.

Sounds like homework, but it's worth it. 25 years on the streets have taught us a lot of stuff worth sharing.

First things first

We know you want to get out there and ride. Before you do, it's important that you complete steps 1 & 2 below. They won't take long.

1 Register your bike

Registration records your serial number (which is important if your bike is ever lost or stolen) and serves as a means of communication with Electra if there are any safety alerts about your bicycle. If you have questions about your bicycle, even years down the line, in just seconds your registration lets us know exactly which bike we're discussing, so we can give you the best service possible.

If you or your bike shop haven't already registered your bike, please do so in the **Support** section at the top of the home page at electrabike.com. It's quick and easy.



2 Read this manual

This manual contains essential safety information. Even if you've ridden a bicycle for years, it's important that you read and understand the information in this manual before riding your new bicycle. You can read it here or online in the **Support** section at the top of the home page at electrabike.com.



Parents or guardians, if this bicycle is for a child or dependent, please make sure he or she understands all safety information in this manual.

How to use this manual

This manual covers all Electra bicycle models. It contains useful information for the life of your bicycle.

Read the fundamentals

Read Chapter 1, **Fundamentals**, before you ride your bike.

If you purchased an electric-assist bicycle (e-bike), please also read the quick-start guide and the supplemental Electric Bicycle Owner's Manual. It's also available in the **Support** section of electrabike.com.

Go online for more great info

You'll find the most current and detailed information at electrabike.com.

A note about warnings

As you read this manual, you'll see grey warning boxes like this:

 **WARNING!** *Text in a grey box with the safety alert symbol will warn you about a situation or behaviour that could cause severe injury or death.*

The reason for these warnings is that we don't want you – or your loved ones or your bicycle – to get hurt.

We want you to have fun on your bicycle, just like we love to have fun on our bicycles.

We know what it's like to tip over at a stop sign, to bloody our knuckles while fixing a chain, to crash on slick pavement. We've done it all. At best, those mishaps aren't fun. At worst, you could get hurt.

So please pay attention to the warnings. It's our way of letting you know we care about your safety.

Keep this manual for reference

This manual shows you how to ride safely, and how and when to do basic inspections and maintenance (Chapter 2). Keep it for the life of your bicycle. We also recommend that you keep your proof of purchase along with the manual in case you need to make a warranty claim.

This manual complies with these standards: ANSI Z535.6; AS/NZS 1927:1998, CPSC 16 CFR 1512, ISO 4210-2 and ISO 8098.

Fundamentals

- 7 Important safety information
- 10 Important e-bike information
- 10 Get to know your bike shop
- 12 Bike diagram
- 14 Before your first ride
- 16 Before every ride
- 20 Safety precautions
- 24 Use conditions & weight limits
- 26 Basic riding technique
- 30 Riding with a child

Important safety information

Read this important safety information before riding your bicycle.

A bicycle can't protect you in an accident

The most common cause of injury on a bicycle is falling. In a crash or impact, it is not uncommon for your bicycle to sustain damage and for you to fall. Cars have bumpers, seat belts, air bags and crumple zones. Bicycles do not. If you fall, your bicycle cannot prevent injury.

If you are involved in any kind of impact, crash or accident, check yourself thoroughly for injuries. Then have your bicycle thoroughly inspected by your bike shop before you ride it again.

Know your limits

A bicycle can be dangerous, especially if you try to ride beyond the limits of your ability. Know your skill level and don't ride beyond it.

Know your bike's limits

Use conditions

Your bicycle is made to withstand the stress of 'normal' riding within specific use conditions (see **Use conditions** section). If you misuse your bicycle by riding outside those conditions, it can be damaged by stress or fatigue (*You'll see the word 'fatigue' frequently in this manual. It means the weakening of material over time due to repeated load or stress.*). Any damage can drastically reduce the life of the frame, fork or other parts.

Lifespan

A bicycle is not indestructible and its parts will not last forever. Our bicycles are made to withstand the stress of 'normal' riding because those stresses are well-known and understood.

However, we cannot predict the forces that might occur if you ride in extreme conditions, if it is involved in an accident, if it is used for rentals or for commercial purposes, or if it is used in other ways that apply high stress or fatigue loads.

With damage, the life of any part can be drastically reduced and may fail without warning.

The safe life of a part is determined by its construction, materials, use, maintenance, rider weight, speed, terrain and environment (humidity, salinity, temperature etc.), so it is not possible to give an accurate timetable for replacement.

Any crack, scratch or change of colour in a high-stress area indicates the part (including the frame or fork) has reached the end of its life and should be replaced. If you are not sure or you don't feel comfortable inspecting or repairing your bicycle, consult your bike shop.

In some cases, a lighter frame or part has a longer life than a heavier one. However, regular maintenance, frequent inspections and frequent replacement of parts are necessary for any bicycle.

 **WARNING:** *A bicycle is subjected to wear and high stress. Different materials and parts may react to wear or stress fatigue in different ways. If the design life of a part has been exceeded, it may suddenly fail.*

For a maintenance schedule, see the **Caring for your bike** section.

Handle with care

Some parts of your bicycle can injure you if mishandled. There are sharp points, for example, on the teeth of the chainrings and some pedals. Brakes and their parts get hot. Rotating wheels can cut skin and even break bones. Clamps and pivoting parts such as brake levers can pinch, as can the chain where it runs onto sprocket teeth.

E-bike components are especially vulnerable. Electric cables, connectors, battery dock, battery and the controller can be damaged easily if handled incorrectly.

Think safety

Stay tuned to your environment and avoid dangerous situations, which are usually obvious (traffic, obstacles, drop-offs and so on), but sometimes are not. Many of those situations are shown in this manual.

Some of the high-risk stunts and jumps seen in magazines or videos are very dangerous; even skilled athletes get severe injuries when they crash (and they do crash).

Modifications to your bicycle can make it unsafe. Each part of your new bicycle has been carefully chosen and

approved. The safety of accessory or replacement parts, and especially how those parts attach and interface with other parts of the bicycle, is not always apparent. For this reason, you should only replace parts with original equipment or parts that are approved. If you are not sure what parts are approved, ask your bike shop.

Examples of modifications include this partial list:

- Physically altering existing parts (sanding, filing, drilling etc.)
- Removing safety equipment such as reflectors or secondary retention devices
- Using adapters for brake systems
- Adding a motor or engine
- Installing accessories
- Changing parts

Important e-bike information

It is important to read this manual, the e-bike quick start guide and the supplemental Electric Bicycle Owner's Manual carefully before you ride your new electric bike.

- There's good stuff in each manual about your e-bike.
- We're partners in protecting the earth, so you need to use, maintain and dispose of electrical components properly.

In addition to the operation of your e-bike section, we recommend you read the **Important to read before the first ride** section of the supplement.

Get to know your bike shop

The best way to ensure many happy hours of trouble-free cycling is to build a relationship with your favourite bike shop.

The ultimate resource

This manual contains lots of valuable information about your bicycle – and there's even more in the **Support** section of electrabike.com.

But a manual or a website can't fix a flat, tune your derailleur, correct your

saddle height, pour you a cup of coffee or wax endlessly about that one time when you almost won that one thing.

Locally owned bike shops are the heart and soul of cycling. Here's just a sampling of what they offer:

Knowledgeable staff

Bike shop staff aren't just salespeople. They're riders who use and understand the products they sell.

The right fit

Your shop can set up and adjust your bike to fit you, your riding style and your preferences.

Professional mechanics

Service staff at your shop will keep your bike or e-bike in tip-top shape season after season.

Warranty service

If you have an issue with a product we sell, your bike shop is committed to making it right.



There's a shop for every rider

We work with over 2,000 local bike shops in the US and hundreds more worldwide. While some dealers specialise in performance bikes, Electra retailers offer something for everyone. It's all about getting on bikes and enjoying the ride.

If you don't already have a favourite shop, the best place to find one is **Find a retailer** at electrabike.com.

Bike diagrams

These diagrams include basic bike parts. Your specific model may not have all the parts shown. Visit the **Support** section of electrabike.com for more specific information.



- | | | | |
|-------------------|--------------------|--------------|----------------|
| 1 Saddle | 8 Front disc brake | 15 Crank arm | 22 Head tube |
| 2 Seat post | 9 Rear disc brake | 16 Rim | 23 Shifter |
| 3 Seat post clamp | 10 Front rim brake | 17 Spoke | 24 Brake lever |
| 4 Seatstay | 11 Rear rim brake | 18 Tyre | 25 Handlebar |
| 5 Seat tube | 12 Cassette | 19 Hub | 26 Stem |
| 6 Pedal | 13 Chainstay | 20 Down tube | 27 Headset |
| 7 Rear derailleur | 14 Chainring | 21 Fork | 28 Top tube |

- | | |
|-----------------|-----------------|
| 29 Rack | 36 Control unit |
| 30 Front fender | 37 Battery |
| 31 Rear fender | 38 Chain guard |
| 32 Front light | 39 Ring lock |
| 33 Rear light | 40 Charge port |
| 34 Motor | |
| 35 Kickstand | |

Before your first ride

Make sure your bicycle is ready for use before your first ride.

Ride the right size bike

Almost all Electra models feature our patented Flat Foot Technology® frame geometry. One size typically fits most, but your shop will help you find the Electra bicycle that fits you best.



Figure 1.1: Correct ride height.

Raise or lower the saddle to a height that allows you to touch the ground flat-footed slightly while supporting your entire weight on the saddle. Make sure your legs are in a straight vertical position and your knees are NOT bent (Figure 1.1). In most cases, this will give you proper riding leg extension. If you prefer more extension, raise the saddle slightly.

Stay within the weight limit

Your bicycle has a weight limit. See the **Use conditions** section for general guidelines.



Figure 1.2: The seatpost minimum insertion line.

To avoid damage to the seatpost or bike frame, do not position the saddle beyond the minimum insertion line on the seatpost or seatmast (Figure 1.2). If you can't position your saddle properly, see your bike shop.

Adjust your handlebar and stem to a comfortable height

Handlebar position is important for control and comfort. You point the handlebar and the bike follows.

Special tools and training are necessary to align, adjust and torque your stem, so only your bike shop should do this. Do not attempt to make the adjustments yourself

as these changes may also require adjustments to the shift levers, brake levers and cables.

⚠ WARNING: An incorrect headset and stem assembly, and incorrect torque can cause damage to the fork's steerer tube, possibly causing the tube to break. If the steerer tube breaks, you could fall.

Get to know your bike

For the most possible enjoyment from your bicycle, familiarise yourself with:

- Pedals
- Brakes (levers or pedals)
- Shifting (if equipped)

You will enjoy yourself more if you have a comfortable and confident ride.

Before every ride

Before riding your bicycle, perform a safety check on level ground and away from traffic. If any part doesn't pass the safety check, fix it or have your bike serviced before riding.

Pre-ride checklist

Check the handlebar

- Make sure the bar is at 90 degrees to the wheel (Figure 1.3).
- Check that the handlebar is tightened sufficiently so that it will not twist out of alignment and does not rotate in the stem.
- Make sure that no cables are pulled or caught when you turn the handlebar from side to side.




Figure 1.3: Proper alignment of handlebar and saddle.

Check the saddle and seat post

- Make sure the saddle is in line with the centre of the bike (Figure 1.3).
- Check that the saddle rails or collar is tightened sufficiently so that it will not twist out of alignment, or move or tilt up and down.

⚠ WARNING: A wheel quick-release lever that is not correctly adjusted and closed can move and catch in spokes or a brake rotor. It may also allow the wheel to be loose or come off unexpectedly. This could cause loss of control or a fall, and may result in serious injury or death. Before every ride, make sure the quick-release is adjusted and closed correctly.

Check the wheels

- Check rims and spokes for damage. Give the wheel a spin. It should spin straight through the fork (front) and chainstays (rear), and not contact the brake pads (rim brakes).
- Check that the axles are fully seated in the dropouts.
- Lift your bicycle and hit the top of the tyre with a solid blow. The wheel should not come off, be loose, or move from side to side.




Figure 1.4: An incorrectly positioned quick-release lever can interfere with the brake system.

- If your wheel is equipped with a quick-release axle, make sure the lever is closed and positioned properly: does not touch the fork or an

accessory part (rack, fender, bags etc.) and does not interfere with the spokes or disc brake system as the wheel rotates (Figure 1.4).

⚠ WARNING: Clamping the wheel securely with a quick-release system takes considerable force. If the wheel is not secured properly, the wheel can become loose or fall off, causing serious injury.

The adjustment nut should be tightened enough that the closing force of the quick-release lever leaves an imprint in your palm. If the lever does not close properly, due to contact with the fork or an accessory, reposition and close the lever.

If the lever touches anything, it may not be closed. If adjustment for proper closure is not possible, remove the quick-release axle and place the lever on the opposite side of the bicycle. Adjust and close properly or replace the quick-release.

Check the tyres

- Use a tyre pump with a gauge to make sure your tyres are inflated within the recommended pressure range. Do not exceed the pressure limit as stated on the side of the tyre or rim; whichever is lowest.

NOTE: It is better to use a hand or foot pump than a service station pump or electric compressor. The latter are more likely to allow for over-inflation, which can cause the tyre to blow out.

Check the brakes

- While standing still, make sure you can apply full braking force without the brake lever touching the handlebar. (If the lever touches, your brakes may need adjustment.)

- Check that the front wheel brake is working properly. Ride the bike at slow speed and apply the front wheel brake. The bike should come to an immediate stop.



Figure 1.5: Apply both brakes together. Using the front brake only could cause the bike to pitch forward.

⚠ WARNING: Brake force applied to the front wheel suddenly or too fully could lift the rear wheel off the ground. This could decrease your control and cause you to fall. For best results, apply both brakes at the same time. (Figure 1.5)

- For rim or disc brakes, repeat the process with the rear wheel brake.

- For coaster brakes, start with the back pedal crank slightly higher than horizontal. Apply pressure downwards on the back pedal. When you move the pedal downwards, the brake should engage.

Check the chain




Figure 1.6

- Make sure your chain or belt has the correct tension so that it can't fall off. If you're unsure of the correct tension, see your bike shop.

- Check that the chain has no kinks, rust, broken pins, plates or rollers.

- Coaster brake: There should be between 6-12 mm (0.25-0.50") total vertical movement in the middle of the chain (Figure 1.6).

Check the cables

- Make sure all cables and housings are secured to the frame or fork properly so that they cannot interfere with or get caught on moving parts.

Check reflectors, lights and accessories

- Check that reflectors are clean and positioned correctly on the wheel.
- Make sure your front and rear lights and any other accessories are attached securely, positioned properly and working properly.
- Position your lights parallel to the ground. Make sure your batteries are charged.

Check your e-bike battery and controller

- With an e-bike, check that your battery is locked in the dock and fully charged, and your controller and e-bike system are functioning properly.

Check your pedals

- Make sure your pedals and shoes are clean and free of debris that could

affect your grip or interfere with the pedal system.

Grab your pedals and crank arm and wiggle to see if there's any looseness. Also, spin the pedals to make sure they rotate freely.

Check a locking headset (if installed)

- Make sure to unlock your headset before you ride.

⚠ WARNING: A locked headset can limit your ability to turn the handlebar. This may lead to loss of control, injury or death. Unlock your headset before riding for full control of your bicycle.



Figure 1.7

Safety precautions

Follow these essential safety precautions to reduce your risk of harm when riding your bicycle.

Gear up

- Always wear a helmet when riding your bicycle to reduce the risk of head injury in an accident. Make sure your helmet fits you properly and meets the required safety standards.
- Dress appropriately. Loose clothing or accessories can get caught in your wheels or other moving parts and cause you to fall (e.g. trouser leg in the chainring).
- Make sure all loose straps and accessories are secured (bikepacking harness, panniers etc.).

- Increase your visibility by wearing fluorescent clothing during daylight and reflective clothing at night. On a bike, the unique up and down pedalling motion is what makes you recognisable on the road. At night, highlight your feet, ankles and legs with products that feature reflective materials. During daylight, wear fluorescent socks, shoes, covers or warmers.
- Use front and rear lights, day and night. Make sure your reflectors are clean and positioned properly.

 **WARNING:** Reflectors, which function only when light shines on them, are not a substitute for lights. Riding in dark conditions or at times of poor visibility without adequate lighting is extremely hazardous.

Ride smart

Know your skill level and do not ride above it.

- Do not ride distracted. Using a mobile phone, music player or similar device while riding can lead to an accident.
- Do not ride too fast. Higher speed creates higher risk and results in higher forces if a crash occurs. You may be surprised at the power of an e-bike.
- Do not ride hands-free. Always keep at least one hand on the handlebar.
- Do not ride double except on a tandem bicycle.
- Do not ride while intoxicated or while using medications that can make you drowsy or less attentive.

• Do not ride in large groups. Riding close to other riders reduces visibility with the road and can cause you to lose control of your bicycle. Also, large groups of cyclists can cause problems for other users of the roadway.

• Do not ride in a manner not specified for your bicycle type (see section **Use conditions**).

E-bike Note: Be aware that other road users do not expect that an e-bike can ride faster than a normal bike. Riding faster may also increase the risk of an accident.

 **WARNING:** You add to your risk of injury when you use your bicycle in an incorrect manner. Misuse can add stress to your bike. High stress can cause the frame or a part to break and increase your risk of injury. To decrease your risk of injury, use your bicycle in the manner for which it was designed.

Avoid misuse

Examples of misuse include jumping your bicycle; riding over sticks, debris or other obstacles; performing stunts; riding in severe off-road terrain; riding too fast for conditions or riding in an unusual manner. These and other misuses add to the stress on each part of your bicycle.

Avoid hazards

Watch for cars, pedestrians and other cyclists. Assume others do not see you and be prepared to avoid them or their actions such as opening a door in your path.

Ride carefully when off-road. Ride only on the trails. Do not ride over rocks, branches or depressions.

Do not ride with a loose object or pet's lead attached to the handlebar or other part of your bicycle.

Watch for and avoid road hazards like potholes, drain grates, soft or low shoulders, or debris that could impact your wheels, make your wheels slide, cause your wheels to 'lock up' or catch your wheels in a rut, all of which could cause you to lose control. If you're uncertain of the road conditions, walk your bike.

When you cross rail tracks or drain grates, approach them carefully and cross them at a 90-degree angle to keep your wheels from getting caught in the ruts (Figure 1.8).




Figure 1.8 Crossing rail tracks.

Respect the weather

Take extra precautions when riding in wet or snowy weather because the grip of your tyres is greatly reduced.

Braking distances increase in wet weather. Apply your brakes earlier and use extra caution than when riding in dry conditions.

Listen to your bike

If your bicycle behaves in an unusual manner (it shakes or wobbles, for example) or you hear an unusual noise, stop riding the bicycle immediately and identify the problem.

After any crash or impact, have your bike shop inspect your bicycle thoroughly. Damage to your bicycle may not be readily visible. Repair any problem before riding again or take the bicycle to your bike shop for service.

Plan ahead

It's a real drag to have a flat tyre or other mechanical problem when out on an enjoyable bike ride. Carry a pump, spare inner tube, patch kit, tools, and spare batteries or chargers for your lights and batteries. Be ready to fix your bike so you can return from your ride safely.

Follow the rules on and off-road

It is your responsibility to be aware of the laws that apply where you ride. Observe all laws and regulations regarding e-bikes, bicycle lighting, riding on roads or paths, helmets, child carriers and traffic.

Use conditions & weight limits

Your bicycle has a frame sticker that indicates its use condition. Ride only in the use condition specified for your bicycle type.

Frame sticker

Check your frame for the use condition sticker and/or the following Electrically Power Assisted Cycles (EPAC) sticker:

EU EPAC ISO label, CE specific to model	US EPAC ISO label, Class label
 <p>250 W CE</p> <p>max 136 kg</p> <p>Bikeurpee BV Ceintuurbaan 2-20C 3847 LG Harderwijk, NL</p>	 <p>ISO 4210-2 City/Trekking</p> <p>Class I E-bike Max 250 W Max 20 mph Vélo à assistance électrique</p>
 <p>ISO 4210-2 City/Trekking</p>	 <p>EN 15194 City/Trekking EPAC</p>

⚠ WARNING: If your use of a bicycle applies more stress than the Use Condition for which it is intended, the bicycle or its parts can be damaged or broken. A bicycle that has damage could decrease your control and cause you to fall. Do not ride in use conditions that apply more stress than the limits of the bicycle. If you are not sure of the limits of the bicycle, consult your bike shop.

Weight limit = rider + bicycle + gear/cargo.

Condition	Terrain	Weight limit	Bicycle type or definition
 <p>Child's bicycle</p>	Riding for children. A child should not ride without the supervision of a parent. Children should not ride near slopes, curbs, stairs, drop-offs, pools or areas that automobiles use.	36 kg (80 lb)	Maximum saddle height of 635 mm Usually a bicycle with 12", 16" or 20" wheels; a child's tricycle; and includes a trailer bicycle No quick-release wheel attachment systems
 <p>Condition 1</p>	Riding on a paved surface where the tyres are always on the ground.	125 kg (275 lb)	Road bicycle with drop-type handlebar Triathlon, time trial or speed bicycle Cruiser with large, 26" tyres and swept-back handlebar Road electric-assist bicycle with drop-type handlebar
		136 kg (300 lb)	Standard pedelec electric-assist bicycle (e-bikes)
		250 kg (550 lb)	Tandem
 <p>Condition 2</p>	Riding in Condition 1, plus smooth gravel roads and groomed trails with low-angle grades. Drop-offs of less than 15 cm (6").	80 kg (175 lb)	Mountain or hybrid bike with 24" wheels
		125 kg (275 lb)	Cyclocross bicycle: drop-type handlebar, knobby 700c tyres, and cantilever or disc brakes
		136 kg (300 lb)	Hybrid or DuoSport bicycle with 700c wheels, tyres wider than 28c and flat handlebar Standard pedelec electric-assist bicycle

Basic riding technique

Use the following tips and techniques to get the most out of your riding experience.

Turning and handling




Figure 1.9: Toe overlap.

Be careful of 'toe overlap'. When you turn the handlebar at very slow speeds, your foot could overlap or touch the front wheel or fender. Do not pedal when you ride slowly with the handlebar turned.

Wet, debris-strewn or uneven pavement will affect the handling of your bicycle. Paint (zebra crossings, lane markings) and metal surfaces (grates, manhole covers) can be especially slippery when wet. Try to avoid sudden changes in direction on less-than-ideal surfaces.

Stopping

Always ride with a safe distance between you and other vehicles or objects to give yourself adequate room to stop. Adjust distances and brake forces to suit riding conditions and speeds.

For safest braking, use your brakes smoothly and evenly. Look ahead and adjust your speed in advance to avoid hard braking.

Different bikes have different brake systems and different levels of brake power depending on their use condition (see **Use conditions & weight limits** section). Be aware of your bicycle's braking power and don't ride beyond it. If you want more – or less – braking power, consult your bike shop.

Wet, debris-strewn or uneven pavement will affect how your bike reacts to braking. Take extra care when braking under less-than-ideal road conditions. Keep it smooth and allow more time and distance for stopping.

Coaster brakes

Parents or guardians: explain this to your child or dependent.

If your bicycle has a coaster brake (a brake activated by the pedals), apply the brake by pedalling backwards.



Figure 1.10

For greatest braking force, the crank arms should be horizontal when you apply the brake. The crank will rotate slightly before the brake starts to work, so start to apply the brake with the rear pedal slightly higher than horizontal (Figure 1.10).

Hand brakes

Before riding, make sure you know which brake lever controls which brake (front or rear).

If you have two hand brakes, apply both brakes at the same time.

The front brake provides more stopping power than the rear, so do not use it too forcefully or too abruptly. Add pressure gradually to both brakes until you slow to the desired speed or stop.

If you must stop quickly, shift your weight back as you apply the brakes to keep the rear wheel on the ground.

 **WARNING:** Brake force applied to the front wheel suddenly or too fully could lift the rear wheel off the ground or cause the front wheel to slide out from under you. This will decrease your control and cause you to fall.

Some front brakes include a 'modulator', a device that makes application of the front brake more gradual.

Shifting gears

The gears on your bicycle allow you to pedal comfortably in different conditions – like riding up a hill, pedalling into a headwind or riding fast on flat terrain. Select the gear that is most comfortable for the conditions; a gear that lets you pedal at a constant rate.

There are two shifting systems on most bicycles: the derailleur, which is external, and the internal gear hub (IGH). Use the proper technique for your setup.

Different shifters and derailleurs function differently. Get to know your system.

To shift with a derailleur

 **WARNING:** Improper derailleur shifting technique could cause your chain to jam or come off, causing you to lose control and fall.

A derailleur moves your chain from one gear to another. You shift gears by changing the position of a shift lever (also called a shifter), which controls the derailleur.

Shift gears only when the pedals and chain are moving forwards.

Decrease the force on the pedals as you shift gears. Reduced chain tension helps the chain shift gears quickly and smoothly, which decreases chain, derailleur and gear wear.

Do not shift gears when riding over bumps to prevent dropping or jamming the chain, or missing a gear.

To shift with an internal gear hub (IGH)

For non-ebikes: When you shift gears, coast (do not pedal). Tension on the chain prevents the correct operation of the gear change mechanism and could damage the mechanism.

For e-bikes: You can shift gears when coasting or when pedalling with an IGH system.

With most IGH systems, you can shift while the bike is not moving – for example, you could shift into a lower gear at a stop sign for easier start-up.

Pedalling

Although there are different pedal systems available, all Electra bicycles come with flat pedals as standard.

Riding with a child

Take these precautions to give young riders the safest, best experience possible.

Towing or carrying a child on your bike

⚠️ WARNING: Adding a child carrier to your bicycle adds weight and raises the centre of gravity, which can make the bike take longer to stop, become hard to control and be easier to tip over. Do not leave your child unattended in a child carrier. Take extra care when balancing, braking and cornering with a child carrier. Tipping over or loss of control may lead to severe injury or death to you or your child passenger.

⚠️ WARNING: Certain bicycle racks are not intended for use with child carriers. If you are unsure, contact your Electra bike shop.

⚠️ WARNING: Child carrier manufacturers have different mounting systems which may or may not be compatible with certain bicycle racks. If you are unsure, contact the child carrier manufacturer.

⚠️ WARNING: If you attach a rack that is incompatible, it could come loose or come off unexpectedly, cause the child to come in contact with moving parts or fall, and lead to severe injury or death.

- If you allow a child to ride in a carrier or trailer attached to a bicycle, be extra vigilant to ensure the child's safety. Make sure your bicycle is suitable for the attachment of a child carrier or trailer. Trailers should use the flag provided.
- Check its attachment or connection to your bike before every ride.
- Luggage carriers (racks) are designed for carrying luggage and not passengers, unless an approved child carrier is used.
- Never carry anything which obstructs your vision or your complete control of the bicycle, or which could become entangled in the moving parts of the bicycle.

- Keep in mind the maximum allowed load of your bicycle when attaching a child carrier on a rear rack. On e-bikes with a rear rack battery, the maximum load is lower due to the weight of a battery. The maximum allowed load can be found on the rack or rack support bracket. In many cases, it is recommended to mount a child carrier on the seat tube, to unburden the rear rack.

- If you attach a child carrier to the rear of your bicycle, exposed saddle springs could injure a child's fingers. Cover the springs or use a saddle that does not have springs.

- Never leave a child unattended in a child carrier or trailer. The bicycle could fall over and injure the child.

- Make sure the child wears protective gear, especially an approved, properly fitted helmet.

- Check frequently to be sure a child on a trailer (with pedals) is awake and alert.

- Reduce your speed. Read and follow the instructions that came with your carrier.

Accompanying a child riding his/her own bike

- Make sure your child is dressed properly for riding in bright, highly visible clothing.

- Make sure your child is riding the right size bike and that the seat and handlebar are properly positioned for maximum comfort and control.

- Children are less likely than adults to recognise hazards and may not respond correctly in an emergency situation, so you'll need to lend your eyes, ears and judgment to keep them safe.

- Children should not ride near slopes, kerbs, stairs, drop-offs, pools or areas used by automobiles.

- Teach your child the rules of the road and emphasise the importance of obeying them.

- Clearly establish your own riding rules that suit your location, including where, when and for how long your child can ride.

⚠ WARNING: Stabilisers prevent the regular lean of a bicycle during a turn. If the child turns too quickly, the bicycle may fall and cause injury. With stabilisers, do not permit a child to ride fast or turn suddenly.

- Inspect your child's bicycle before every ride (see section **Before every ride**).
- Pay extra attention to the grips and end plugs on the handlebars of your child's bicycle. In the event of a crash, an exposed handlebar end presents a puncture hazard.

⚠ WARNING: A handlebar end that is not plugged or covered can cause serious injury or death in a crash. Parents should inspect each bicycle regularly and replace damaged or missing grips and end plugs.



Caring for your bike

- 35 Safeguard your bike
- 39 Maintenance
- 40 Inspection
- 45 Five easy fixes every rider should know

Safeguard your bike

We build our bicycles to last a long time – with a little help from you. Follow these safeguards to keep your bicycle in good shape for the long haul.

Keep it clean

Clean your bicycle with water or mild detergent and a non-abrasive sponge if your bicycle is very dirty. Never spray your bicycle using high pressure and never spray directly onto bearing points or electrical parts on e-bikes. Never use harsh chemicals or alcohol wipes to clean your bike. See the **Five easy fixes** section for more details on washing your bicycle.

Part replacement

If you need to replace any bike parts (worn brake pads, for example, or parts broken in an accident), visit your bike shop or go to electrabike.com.

Use only genuine replacement parts. If you use anything other than genuine replacement parts, you may compromise the safety, performance or warranty of your bicycle.

A warning about servicing your bike

Special tools and skills are necessary for the servicing of your bicycle. If a repair or adjustment is not specifically listed in this manual, for your safety, only your bike shop should make that repair.

Suggested tools list

Not all these tools are necessary for all bicycles.

- 2, 4, 5, 6, 8 mm hex keys
- 9, 10, 15, 18 mm open-end spanners
- 15, 18 mm box end spanner
- Socket spanner, 14, 15 and 19 mm socket
- T25 Torx spanner
- No. 1 Phillips-head screwdriver
- Bicycle inner tube patch-kit, tyre pump with gauge and tyre levers
- Torque spanner

⚠ WARNING: *Many bicycle service and repair tasks require special knowledge and tools. Do not begin any adjustments or service on your bicycle until you have learnt from your bike shop how to properly complete them. We recommend that significant mechanical repairs be carried out by a qualified bicycle mechanic. Improper adjustment or service may result in damage to the bicycle, or an accident that can cause serious injury or death.*

Your safety depends on the correct maintenance of your bicycle. If a repair, adjustment or software update is not listed specifically in this manual, only your bike shop should make that repair.

After any repair or accessory installation, check your bicycle as shown in the **Before every ride** section.

Parking, storing and transporting your bike

Prevent theft

Do not park your bicycle unless you secure it to a fixed object with a bike lock that resists bolt cutters and saws. For an e-bike, lock the battery in place and remove the controller, if applicable.

Register your bicycle online (see section **Register your bike**). Record the serial number in this manual and put the manual in a safe location.

Park or store your bike safely

Park your bicycle where it cannot fall or roll away. Any fall can cause damage to your bicycle or property around you.

Incorrect use of a bicycle parking rack could bend your wheels, damage brake cables or, in the case of e-bikes, damage electric system cables.

Do not rest your bicycle on its derailleurs. The rear derailleur could bend or dirt could get on the drivetrain.

Protect your bike from the elements when possible. Rain, snow, hail and even direct sunlight can damage your bicycle frame, finish or parts.

Before you put your bicycle away for an extended time, clean and service it, and apply frame polish. Hang your bicycle off the ground with the tyres at approximately half the recommended inflation pressure.

See the quick start guide or the supplemental Electric Bicycle Owner's Manual for proper battery storage.

Protect your bike's finish

The finish or paint on your bicycle can be damaged by chemicals (including some sports drinks) or abrasive contact. Dirt can scratch or remove paint (and even frame material) especially where a cable rubs or a strap is placed around a tube. Use adhesive padding to prevent rubbing in critical spots.

Avoid excessive heat

Excessive heat may damage the joints of frame parts. Do not exceed 65°C (150°F) exposure to your bicycle. The interior of a car parked in the sun can reach this temperature.

Use care with car racks, work stands, trailers and trainers

Clamping devices such as those found on a work stand, car carrier, trainer or child's trailer can cause damage to bicycle frames. Follow the instructions for your specific accessory to protect your bicycle from harm. Not all bicycles are compatible with a luggage carrier, bicycle trailer etc... If you are not sure, ask your bike shop.

⚠️ WARNING: Adding a child carrier to your bicycle adds weight and raises the centre of gravity, which can make the bike take longer to stop, become hard to control and be easier to tip over. Do not leave your child unattended in a child carrier. Take extra care when balancing, braking and cornering with a child carrier. Tipping over or loss of control may lead to severe injury or death to you or your child passenger.

⚠️ WARNING: Certain bicycle racks are not intended for use with child carriers. If you are unsure, contact your Electra bike shop.

⚠️ WARNING: Child carrier manufacturers have different mounting systems which may or may not be compatible with certain bicycle racks. If you are unsure, contact the child carrier manufacturer.

⚠️ WARNING: If you attach a rack that is incompatible, it could come loose or come off unexpectedly, cause the child to come in contact with moving parts or fall, and lead to severe injury or death.

Package your bicycle carefully for shipping

An incorrectly packed bicycle is damaged easily in transit. Always use a hard case or carton that will protect your bicycle when you package it for shipping. Attach foam pads to all the frame and fork tubes, and use a rigid block to protect the fork tips and maintain structural support of the fork blades.

There are also special rules and considerations when shipping an e-bike. If you are not sure what to do, see the supplemental Electric Bicycle Owner's Manual at electrabike.com or ask your bike shop to package your bicycle for you.



Maintenance

Technological advances have made bicycles and bicycle parts more complex, and the pace of innovation is increasing. It's impossible for this manual to provide all the information required to repair and/or maintain every bicycle properly.

To help minimise the chances of an accident and possible injury, it's critical that you have your bike shop perform any repair or maintenance not specifically described in this manual.

Many variables, from your riding style to geographic location, will determine your maintenance requirements. The longer you neglect maintenance, the more critical it becomes. Your bike shop can help you decide your maintenance requirements.

After initial use, new bicycles should be checked. As an example, cables stretch through use, and this can affect the operation of shifting or braking. Approximately two months after you purchase your new bicycle, have your bike shop check it fully. Have your bike shop service your bicycle fully each year, even if you have not ridden your bicycle much.

Before each ride, perform an inspection as outlined in the **Before every ride** section.

Inspection

As listed in the maintenance schedule, perform the following inspections and maintenance when indicated.

Check tightness

Your new bicycle left the shop with bolts and connections properly tightened – but those bolts and connections loosen over time. This is normal. It's important to check and adjust them to proper torque specifications.

Know your torque specs

Torque is a measure of the tightness of a screw or bolt.

Too much torque can stretch, deform or break a bolt (or the part it attaches). Too little torque can allow the part to move and may lead to fatigue and breakage of the bolt (or the attached part).

A torque spanner is the only reliable method of determining correct tightness. If you do not have a torque spanner, you cannot inspect for tightness properly and should consult your bike shop.

The torque specification is often written on or near the bolt or part. If a part does not have a specification on it, check the **Support** section of electrabike.com or ask your bike shop. It shouldn't take more than a few minutes to check the following and adjust as necessary to proper torque specs:

- Saddle clamp bolt(s)
- Seatpost clamp bolt
- Stem bolts
- Shift lever attachment bolts
- Brake lever attachment bolts

- Brake bolts, front and rear, including any bolt that attaches a cable housing stop

Handlebar

Check:

- That the handlebar grips are secure (they shouldn't move or rotate).
- That any handlebar extensions or bar ends are positioned properly and secure, and that bar caps are secure.

 **WARNING:** *A handlebar end that is not plugged or covered can cut the rider in a crash. Parents should inspect a child's bicycle regularly and replace damaged or missing grips.*

Frame and fork

Examine your frame and fork, especially near junctions and clamping or attachment areas.

Look and feel for signs of fatigue: dents, cracks, scratches, deformation, discolouration, unusual noises (e.g. chain slap or brake rub during acceleration). If you find any, contact your bike shop before riding the bicycle.

Brakes

Check the brake pads for wear.

- Rim brakes: If the grooves in the brake pad surface are less than 2 mm deep (or 1 mm deep for direct-pull brakes), replace the brake pads.
- Disc brakes: Replace brake pads that are thinner than 1 mm.
- Disc brake rotors: Check the thickness/wear of the rotor. The minimum thickness is often printed on the disc.

Wheels and tyres

Check the tyres for damage or a worn area. As a tyre wears thin, it may become more susceptible to puncture.

If a cut goes all the way through the casing, or any casing thread shows through the tread, replace the tyre.

Your bike shop should fix or replace loose spokes or spokes with damage.

A word about rim wear. Brake pads remove rim material when you apply the brake. If the brakes remove too much material over time, the rim can become weak and break. Aluminium rim wear-indicators:




Figure 2.1 Aluminium rim wear-indicator.

- A shallow groove around the circumference of the rim (Figure 2.1). If the groove is no longer visible in any spot, replace the rim.

- A dot on the rim – typically near the valve stem. If this indicator is worn such that the dot is no longer visible, replace the rim

If a hub feels loose or makes a grinding noise, your bearings may need attention. Only your bike shop should adjust bearings.

Derailleurs

Shift gears through all the sprocket combinations to make sure the derailleurs operate correctly and smoothly, and the chain does not come off.

Pedals

Wiggle the pedals to make sure they're secure on the crank arms. Rotate the pedals on the crank arm. If the pedals don't rotate smoothly, see your bike shop to adjust your pedal bearings.

If necessary, tighten your pedals. The right pedal is threaded in the usual direction. The left pedal is left-hand threaded. Please see your bike shop to tighten your pedals to the correct torque.

Crank

Wiggle the crank arms gently and turn the crank (chainring) with the rear wheel off the ground.

If the crank feels or sounds loose or if you hear a grinding noise when you turn the crank, do not ride your bicycle. Your bottom bracket (the bearing system that allows the crank arms to turn in the frame) may need adjustment.

If your inspection shows that your bike needs maintenance, visit the **Support** section at electrabike.com or take your bike to your bike shop for service. Only your bike shop should adjust bearings.

Chain

Check the chain for stiff link pins or wear and dirt. Clean and lubricate the chain (see section **Five easy fixes**).

Accessories

Check all accessories to make sure they're attached correctly and securely.

Some bikes include accessories, such as a kickstand, or you may have added some of your own. Visit the **Support** section on our website for further instructions on operation and maintenance, or follow the instructions that came with your accessories.

Cables

Check the cables for problems: kinks, rust, broken strands or a frayed end. Cables should have an end cap to prevent fraying. Also check the cable-housing for loose wire strands, bent ends, cuts and worn areas. If there is a problem with a cable or housing, do not ride your bicycle. Unless you feel comfortable adjusting your wire cables, take your bicycle to your bike shop for service.

E-Bikes

Check all wires and connectors for damage. Check the operation of the system. Check the controller docking for damage. Check the operation of all lights and horn (if applicable).

Fenders

When mounting a front fender, you must coat the top mounting bolt threads with fresh Loctite Blue 242 adhesive (or similar) with each installation.

This is for all fork mounting locations: front, rear or under the fork crown (Figure 2.1.1).




Figure 2.1.1 Front fender mounting bolt locations. L-R: front, rear, under the crown.

WARNING: When re-installing a fender, make sure you use the bolt(s) supplied with the bicycle or fender assembly. These bolts have specific sizes and locking capabilities. Failure to use these bolts may result in a loose or detached fender contacting the tyre, causing an abrupt stop.

WARNING: Fender mounting bolts may become loose. To avoid loose top bolts, coat the bolt threads with fresh Loctite Blue 242 adhesive (or similar) with each installation. Failure to use an adhesive on the bolts may result in a loose or detached fender contacting the tyre, causing an abrupt stop.

Five easy fixes every rider should know

We know not everybody is mechanically inclined... but every rider should master these five basic skills. We cover the highlights below.



1. Check your tyres

Properly inflated tyres make for an enjoyable ride. Checking your tyres for inflation and wear is your first step to improve your bicycle's performance.

Check your tyre pressure

Use a tyre gauge or a pump equipped with a gauge to check your tyre pressure.

Inflate (or deflate) your tyres

Use a hand pump to inflate your tyres to the air pressure recommended on the sidewall of the tyre or to the pressure recommended for the rim, whichever is lower. Make sure your pump is suitable for your valve:

Presta or Schrader (see Figure 2.2).




Figure 2.2

With a Presta valve, you must loosen the top valve two turns before trying to inflate the tyre.

Do not over-inflate your tyres. If your tyre is over the recommended range, release air and recheck the pressure.

NOTE: It is better to use a hand or foot pump than a service station pump or electric compressor. The latter are more likely to allow for over-inflation, which can cause the tyre to blow out.

PSI	BAR	kPA
35	2.41	241
40	2.76	276
45	3.10	310
50	3.45	345
55	3.79	379
60	4.14	414
65	4.48	448
70	4.83	483
75	5.17	517

2. Wash your bike

It just feels better to ride a clean bicycle. Not only does it look good, it will also add to the life of the bike. Constant attention to your bicycle's details will keep you up to date with maintenance as well.

All you need is a water hose, a bucket, mild soap, a soft brush and a towel.

Wet your bicycle with the hose, then work with the brush from the top down using plenty of soapy water. Rinse the soap off and wipe it down.

NOTICE: High-pressure water may damage bicycle parts. Do not clean your bicycle with a high-pressure washer. High-pressure water might also seep into electric connectors, motors, controllers or other parts of the electric system.

3. Degrease and lube your chain

Proper lubrication will keep your chain running smoothly and quietly and will prolong the life of your chain. We recommend you clean (degrease) the chain prior to lubrication.

Degrease

It's a dirty job, so leave your Sunday best in the wardrobe. You'll need a bike-specific degreaser (a biodegradable option is good). There are designated chain-cleaner tools, but you can also use a toothbrush.

Apply the degreaser with a toothbrush or a chain-cleaner tool to the bottom length of the chain and pedal backwards. After degreasing, wash the chain with soapy water and a brush, rinse it clean and allow to dry.

⚠ WARNING: Do not get lubricant on rim sidewalls or disc brake rotors. Lubricant on brake surfaces can cause decreased braking function and increase the possibility of an accident or injury. Wipe off any lubricant that contacts brake surfaces.

Lubricate

Use a bicycle-specific chain lubricant. Apply lubricant to each link pin as you slowly pedal backwards. Wipe off any excess lubricant.




Figure 2.3: Apply lubricant to the bottom of the chain.

TIP: Apply the lubricant to the bottom length of the chain and hold a rag under the chain. This will keep the lube from dripping on your chainstay (frame) or wheel and make the process less dirty (Figure 2.3).

4. Remove & replace your wheels

⚠ WARNING: If you have an e-bike, or your bike is equipped with a hub brake, or if it has an internal gear rear hub, do not attempt to remove the wheel. The removal and re-installation of most hub brakes and internal gear hubs requires specialist knowledge. Incorrect removal or assembly can result in brake or gear failure, which can cause you to lose control and fall.

NOTE: If you have disc brakes, be careful not to press the brake lever after removing the wheel. This may close the brake pads making it difficult for the rotor to go back inside the pads.

Remove the rear wheel

1. Shift down to the smallest gear in the cassette. If you have rim brakes, open the quick-release cable mechanism for the rear brake to open the brake arms.
2. Loosen the quick-release, nuts or through axle on the wheel.
3. Grab the derailleur body and push down and then back, and release the wheel from the dropouts.
4. Tilt the wheel and remove the chain from the cassette. Set the wheel and your bike down with the gears up.

Replace the rear wheel

1. Standing at the rear of the bike, with the wheel between your knees, grab the rear derailleur with your right

hand and pull back and push down, making sure the top of the chain drops over the first (or smallest) gear on the cassette. Make sure the wheel axle fits all the way into the frame of the bicycle.




Figure 2.4

2. Tighten the quick-release making sure that it is properly positioned within the dropouts and closed. If the quick-release is not closed correctly (in-line with the chain stay), the lever can catch in a disc brake rotor (Figure 2.4).

3. Replace the quick-release cable mechanism for the rear brake (rim brakes) and you're done.

WARNING: A quick-release device not correctly adjusted and closed can move independently and catch in spokes or a brake rotor. In addition, the wheel may become loose or come off, suddenly stop the wheel, decrease your control and cause you to fall. Make sure the quick-release lever is correctly positioned in the dropouts and closed before you ride your bicycle.

See pages 16 & 17 for more complete quick-release information.

5. Remove & replace your tyre

These instructions are written for standard tyre systems with tubes. For another type of tyre, consult your bike shop.

Remove the tyre from the wheel

1. Deflate the inner tube and loosen the valve nut (Presta valve).
2. Loosen the tyre from the rim.
3. Use your hands or tyre levers to remove the tyre from one side of the rim. Do not use a sharp object such as a screwdriver to remove the tyre.
4. With one side of the tyre removed, you can reach in and remove the inner tube.
5. To remove the tyre completely, use your hands or tyre levers to remove the other side of the tyre from the rim.



CHAPTER 3

Reference

- 52 Additional resources
- 54 Glossary of cycling terms

Additional resources

This basic manual is just the beginning. Here's some additional information to help support fun bicycling.

How-to videos

Electra has its own YouTube channel: youtube.com/user/ElectraBicycle which has helpful "how to" videos.



Social Responsibility

PeopleForBikes

peopleforbikes.org

PeopleForBikes aims to make riding better for everyone. By collaborating with millions of individual riders, businesses, community leaders and elected officials, they unite people to create a powerful, united voice for bicycling and its benefits.

World Bicycle Relief

worldbicyclerelief.org

This organisation provides specially designed, locally assembled bicycles across rural Africa through sustainable work-to-own and study-to-own programmes.

DreamBikes

dream-bikes.org

DreamBikes is a not-for-profit organisation that hires and trains teens in disadvantaged neighbourhoods to fix and sell used bikes.

Trek 100

trek100.org

The Trek 100 is a charity bicycle ride hosted annually at the world headquarters of Trek Bicycle in Waterloo, Wisconsin. Funds raised benefit Midwest Athletes Against Childhood Cancer (MACC Fund).

NICA

nationalmtb.org

The National Interscholastic Cycling Association (NICA) develops mountain biking programmes for student athletes, providing guidance and leadership for communities and coaches.

Warranty

Electra Limited Warranty

We've Got You Covered

Every Electra bicycle comes with a limited lifetime warranty against manufacturing defects and warrants the replacement of the components of Electra bicycles due to defects in material and/or workmanship. For the full warranty statement, please see electrabike.com/warranty.

First things first

Contact an authorised Electra retailer or distributor to initiate a warranty claim. Proof of purchase is required.

Glossary of cycling terms

Bead

Part of the tyre that clinches to the wheel's rim.

Bar ends

Perpendicular extensions to the end of straight handlebars for additional hand positions.

Bike share

A fun, easy, affordable urban transit system in which users rent bikes for short rides, checking them in and out at docking stations.

Biomotion or body movement

Highlighting the movement of your feet and legs with contrasting colours to improve your visibility. Use fluorescent during daylight and reflective at night.

Cadence

The rate at which a cyclist pedals (in revolutions per minute).

Captain

The rider on a tandem bike steering (shifting, braking) the bike. Also pilot.

Chainguard

A housing around your chain.

Drive side

Refers to the side of the bike where the chain and related drivetrain components sit.

Drivetrain

The system that transfers pedalling power to the wheels. Components include crank, chainring and chain (or belt), as well as derailleurs and a cassette in geared bikes.

Dropout

Small notch in the bike frame where the seatstay meets the chainstay. The rear wheel skewer or axle rests in the dropouts.

Dynamo hub

A small electrical generator built into the hub of a bicycle wheel usually used to power lights.

e-bike assist

An e-bike amplifies your pedalling power with a motor and battery. When riding, the electric motor only kicks in when pedalling.

Fat Bike

A tough, capable bike built to accommodate extra-wide tyres and designed to ride on any kind of terrain you bloody well please.

Frameset

The bicycle frame plus the front fork.

High-vis

Short for high-visibility. High-vis gear and clothing makes riders more likely to be seen.

Hybrid

A versatile style of bike that combines traits of road and mountain bikes. Equally suited to city streets and gravel paths, but not intended for rigorous off-road use.

Pannier

A bag or similar container attached to the frame, handle bars or on racks above the wheels of a bicycle.

Quick Release

A mechanism for attaching a wheel to a bicycle. It consists of a rod threaded on one end and a lever-operated cam assembly on the other.

Ride-tuned

Tuned for optimal ride feel.

Road rash

Skin abrasions caused by sliding on the tarmac in a crash.

Single-Speed

A beautifully simple bicycle: one free-wheel gear, no shifting.

Singletrack

A trail just wide enough for a single bike to

ride.

Steerer tube

The part of the fork that is inserted into the head tube of the frame. Used to attach the fork to the frame using a headset.

Step-Thru

A type of bicycle frame with a low or absent top tube or cross-bar (a.k.a. open frame or low-step frame).

Stoker

The rider on a tandem bike not steering.

Tandem

A bicycle built for two.

Thru axle

An alternative to the quick-release skewer. A thru axle slides through holes in closed dropouts. It's a stronger, stiffer axle and has long been a standard for mountain bike wheels.

Wheelie

Lifting the front wheel of the bicycle in the air while riding on only the back wheel.

Electra Headquarters

USA

Electra Bicycle Company
1010 S. Coast Hwy. 101, Ste. 101
Encinitas, CA 92024
Customer Service 800-261-1644
electrabike.com

United Kingdom

Trek Bicycle Corporation Ltd.
9 Sherbourne Drive, Tilbrook,
Milton Keynes, MK7 8HX

Europe

Bikeurope BV
Ceintuurbaan 2-20C
3847 LG Harderwijk, The Netherlands
electrabike.com

Limited lifetime warranty

For more, go to electrabike.com.

AR	المزيد من المعلومات، قم بزيارة موقع electrabike.com	JP	詳しくは、 electrabike.com をご覧ください。
CS	Více informací naleznete na stránce electrabike.com .	KO	더 자세한 사항은, electrabike.com 을 방문하시기 바랍니다.
DA	Få mere at vide på electrabike.com .	NO	For mer, gå til electrabike.com .
DE	Weitere Informationen findest du auf electrabike.com .	NL	Voor meer informatie, ga naar electrabike.com .
EL	Για περισσότερες πληροφορίες, μεταβείτε στον ιστότοπο electrabike.com .	PL	Więcej informacji znajduje się na stronie electrabike.com .
ESES	Para más información, entra en electrabike.com .	PTBR	Para maiores informações, acesse electrabike.com .
ESMX	Para más información, ir a electrabike.com .	PTPT	Para mais informações, vai a electrabike.com .
FI	Lisätietoja saat electrabike.com -sivustolta.	RU	Подробнее см. на веб-сайте electrabike.com .
FR	Pour en savoir plus, rendez-vous sur electrabike.com .	SK	Viac nájdete na stránke electrabike.com .
HE	לקבלת מידע נוסף, עבור אל electrabike.com	SL	Več informacij najdete na electrabike.com .
HR	Saznajte više na electrabike.com .	SV	Mer information finns på electrabike.com .
HU	További információért látogasson el az electrabike.com oldalra.	UK	Щоб дізнатися більше, відвідайте веб-сайт electrabike.com .
IT	Per scoprire di più, vai su electrabike.com .	ZH	欲了解更多信息, 请浏览 electrabike.com 。

To see this manual in your language, go to electrabike.com



- AR** لقراءة هذا الدليل بلغتك، قم بزيارة موقع [.electrabike.com](https://electrabike.com)
- CS** Tuto příručku ve svém jazyce naleznete na stránce electrabike.com.
- DA** Du kan se denne brugervejledning på andre sprog på electrabike.com.
- DE** Auf electrabike.com findest du dieses Handbuch in deiner Sprache.
- EL** Για να διαβάσετε αυτό το εγχειρίδιο στη γλώσσα σας, μεταβείτε στον ιστότοπο electrabike.com.
- ESES** Para consultar este manual en tu idioma, entra en electrabike.com.
- ESMX** Para ver este manual en tu idioma, entra en electrabike.com.
- FI** Löydät tämän oppaan omalla kielelläsi osoitteesta electrabike.com.
- FR** Pour consulter ce manuel dans votre langue, rendez-vous sur electrabike.com.
- HE** כדי לראות מדריך זה בשפה שלך, עבור לדף [.electrabike.com](https://electrabike.com)
- HR** Kako biste ovaj priručnik otvorili na svom jeziku idite na electrabike.com.
- HU** A kézikönyv saját nyelvéen való megtekintéséhez látogasson el az electrabike.com oldalra.
- IT** Per leggere questo manuale nella tua lingua, vai su electrabike.com.
- JP** あなたの言語でこのマニュアルを読むには、electrabike.comをご覧ください。
- KO** 해당 설명서를 한국어로 보려면, electrabike.com을 방문하시기 바랍니다.
- NO** For å se denne håndboken i ditt språk, gå til electrabike.com.
- NL** Om deze handleiding in uw eigen taal te lezen, ga naar electrabike.com.
- PL** Aby znaleźć tę instrukcję w swoim języku, odwiedź stronę electrabike.com.
- PTBR** Para ver este manual em seu idioma, acesse electrabike.com.
- PTPT** Para consultar este manual no teu idioma, vai a electrabike.com.
- RU** Для просмотра этого руководства на вашем языке перейдите на страницу electrabike.com.
- SK** Na zobrazenie tejto príručky vo vašom jazyku prejdite na stránku electrabike.com.
- SL** Če želite prebrati ta priročnik v svojem jeziku, pojdite na electrabike.com.
- SV** Gå till electrabike.com om du vill läsa bruksanvisningen på ditt eget språk.
- UK** Цей посібник з експлуатації вашою мовою доступний на веб-сайті electrabike.com.
- ZH** 要查看您所用语言版本的本手册，请浏览 electrabike.com。



Electra Bicycle Company® | Customer Service +1-800-261-1644
1010 S. Coast Highway 101, Ste. 101, Encinitas, CA 92024, USA

Bikeurope BV Ceintuurbaan 2-20C 3847 LG Harderwijk, The Netherlands
© 2021 Electra Bicycle Company | Part #580971 Rev 3